

CP 4.9: Chronic Obstructive Pulmonary Disease

Updated:
Reviewed:

Purpose

The Community Paramedic will work together with the health care team in meeting goals of COPD management which include:

- Prevention of disease progression
- Reduction in frequency and severity of exacerbations
- Alleviation of dyspnea and other respiratory symptoms
- Improvement of exercise tolerance
- Prompt treatment of exacerbations and complications
- Improvement in health status
- Reduction in mortality

Policy Statements

In response to a referral from a health authority or primary health care provider, the Community Paramedic (CP) will visit a patient with stable COPD and in addition to performing a focused chest assessment, will assess patient's self-management of disease including an understanding of the need to stop smoking (if applicable), recognition of signs and symptoms of an exacerbation, correct use of inhaler(s), need for flu and pneumococcal vaccinations and daily exercise.

It is expected that the CP will document findings and report them to the primary health care provider and collaborate with other health care team members to provide support as appropriate.

Procedure

1. **OBTAIN** and **REVIEW** patient's health history, [COPD flare-up action plan](#) (if available) and care plan prior to appointment.
2. **REFER** to Request for Service form, care plan and/or COPD flare-up action plan for direction with respect to assessment, patient specific care parameters/interventions and patient teaching required.
3. If patient is a smoker, **ENCOURAGE** him/her to quit smoking and suggest smoking cessation strategies such as nicotine replacement therapy which can be initiated at the community pharmacy level or suggest he/she speak to their primary care provider for other medications that may help.
4. **ASSESS** patient's current level of dyspnea using a quantitative rating scale (e.g. numeric scale): On a scale 0-10 – indicate how much shortness of breath you are having right now, 0=no shortness of breath and 10=shortness of breath as bad as can be.
5. **PERFORM** physical exam including:
 - vital signs (T, P, RR, BP)
 - pulse oximetry, level of consciousness
 - chest auscultation
 - chest wall movement and shape/abnormalities.
 - accessory muscle use
 - ability to complete full sentence
 - presence of peripheral edema
 - note worsening of concurrent conditions such as angina or diabetes.
6. If patient's self-report of current dyspnea is worse than usual and/or physical exam shows worsening work of breathing (increased RR, HR, increased or decreased BP, decreased breath sounds, end expiratory wheeze and/or crackles, shallow inspiratory depth with reduced chest wall expansion, respiratory accessory muscle use, sputum and cough change), or there is worsening of concurrent conditions, **REVIEW** patient's current flare-up action plan for direction. If patient does not have an action plan, **CONTACT** health care provider for

direction.

NOTE: All patients with COPD should have a flare-up action plan, which often includes having access to steroids and antibiotics that can be initiated at first sign of exacerbation, and does not require a visit to their primary care provider.

7. If no change in usual or current level of dyspnea (RR within normal limits, breath sounds reduced with or without end expiratory wheeze and/or crackles, adequate inspiratory depth and chest wall expansion, minimal or no respiratory accessory muscle use, may have clear or white sputum and daily cough), **CONTINUE** with interventions.
8. **ASSESS** patient's understanding of COPD and disease process and **REVIEW** patient's current flare-up action plan and ensure that the patient would be able to access medications if needed (i.e. medications or prescription on file at the pharmacy). Reinforce to patient that should a flare-up occur, he/she should notify health care provider for follow-up.
9. **ENSURE** patient has had their annual flu vaccine and their pneumococcal vaccine.
10. **ASSESS** current use of inhaled medications with patient, and re-inforce directions on prescription labels for each inhaler.
11. **OBSERVE** patient using their inhaler device and **REVIEW** technique as needed. If using an aerosolized metered-dose inhaler (MDI), a spacer is strongly recommended. **REVIEW** priming/preparation of inhalers for those that are not used regularly and cleaning instructions for inhaler device (weekly rinse to prevent medication build-up) and for spacer (wash in warm soapy water weekly and leave to air dry to reduce static). If using a spacer, **CHECK** device for cracks, broken valve.
12. **ASSESS** self-management strategies: exercise, stress management, nutrition, sleeping patterns, breathing and coughing exercises.
13. **REVIEW** triggers for exacerbations of symptoms (e.g. poor air quality, smoke, strong fumes, scents, cold air, hot/humid air) and early warning signs of an exacerbation (worsening dyspnea and work of breathing, change in cough or sputum).
14. **COMMUNICATE** with health care provider or health care team if parameters if parameters have deviated from patient's normal parameters as noted on care plan or if any other concerns arise.

Documentation

DOCUMENT details of the visit on the CP progress notes and notify primary health care provider or health care team of findings and any concerns.

Patient Education Resources

[COPD – A Guide for Patients](#)

[BREATHE – The Lung Association: COPD](#)

[BC Smoking Cessation Program](#)

References

1. Bailey LB, et al. Patient Information: Asthma Inhaler Techniques in Adults. In UpToDate. 2015. [\[Link\]](#)
2. BC Guidelines. Chronic Obstructive Pulmonary Disease. 2011. [\[Link\]](#)
3. O'Donnel DE, et al. Canadian Thoracic Society Recommendations for Management of Chronic Obstructive Pulmonary Disease - 2008 Update - Highlights for Primary Care. 2008. [\[Link\]](#)
4. RNAO Nursing Best Practice Guideline. Nursing Care of Dyspnea: the 6th Vital Sign in Individuals with Chronic Obstructive Pulmonary Disease. 2005. [\[Link\]](#)
5. RX Files. COPD: New Drugs, New Devices and Considerations for Best Practice. 2015. [\[Link\]](#)
6. World Health Organization. Chronic Respiratory Diseases – COPD Management. 2016. [\[Link\]](#)

